

Mail Setup and PDFEBURST

There are **three methods** to send PDF attachments with **PDFEBURST**. You can choose any method. These choices are made by selecting the following command button on the mail form:



The three choices are:

- PDFEBURST will use **Microsoft Outlook** as the default mail client.
- PDFEBURST **will use Microsoft Outlook Express** as the default mail client.
- PDFEBURST will not be used with any mail client but will use an **outgoing SMTP mail server**.

All the above methods are explained by the following examples:

Use **PEB2** with Outlook.

| | |
|--|--|
| | <p>After launching PEB2, access the mail setup form by pressing "MailSetup." When the form is loaded, select the following: "PDFEBURST will use Microsoft Outlook as the Default mail client. Then select OK to Exit.</p> |
| | <p>Make sure the default mail client is set to Outlook.</p> <p>Using Internet Explorer select: Tools> Internet Options> Programs> Then select Outlook as the default E-mail.</p> |

If using **PEB2** Version 1.0 with Microsoft Outlook, you may want to bypass the annoying security dialog. Here's how:

If you are not in an exchange server environment, eliminate the annoying dialogue by downloading the new utility developed by Content Magic.

Many of our existing customers have found this to be an excellent utility. This will work with or without an exchange server:




<http://www.contextmagic.com/express-clickyes/>

If you are using an exchange server you may want to share the following link with your network administrator:

<http://support.microsoft.com/default.aspx?scid=kb;EN-US;290498>

If you have the rights, you can make settings at the exchange server level without installing the above utility.

Use *PEB2* with Outlook Express

| | |
|--|--|
|  <p>The screenshot shows the 'Mail Configuration Form' window. At the top, there are buttons for 'Print PDF', 'Process PDF', 'MailSetup', 'Help', and 'Exit'. Below the title bar, the text reads 'PDFeBurst Mail Client Configuration Screen'. There are two radio button options: the first is 'PDFeBurst will use Microsoft Outlook as Default mail client.' and the second is 'PDFeBurst will use Outlook Express as default mail client.', which is selected.</p> | <p>After launching PEB2, access the mail setup form by pressing "MailSetup." When the form is loaded, select the following: "PDFEBURST will use Outlook Express as the Default mail client then OK then Exit.</p> |
|  <p>The screenshot shows the 'Internet Options' dialog box, 'Programs' tab. The 'E-mail' dropdown menu is set to 'Outlook Express'. The 'HTML editor' dropdown is set to 'Microsoft Office FrontPage'. The text below the dropdowns says: 'You can specify which program Windows automatically uses for each Internet service.'</p> | <p>Make sure the default mail client is set to Outlook Express:</p> <p>Using Internet Explorer, select: Tools> Internet Options> Programs> Then select Outlook Express as the default E-mail.</p> |
|  <p>The screenshot shows the 'Options' dialog box, 'Security' tab. Under 'Virus Protection', the 'Restricted sites zone (More secure)' radio button is selected. There are also checkboxes for 'Warn me when other applications try to send mail as me.' (unchecked) and 'Do not allow attachments to be saved or opened that could potentially be a virus.' (checked). The 'Download Images' section is partially visible at the bottom.</p> | <p>Eliminate the warning message while processing E-mails in Outlook Express.</p> <p>Tools>Options Select the security tab. Uncheck "Warn me" when applications try to send mail as me.</p> |

PEB2 and SMTP

PDFeBurst will use Microsoft Outlook as Default mail client.

PDFeBurst will use Outlook Express as default mail client.

PDFeBurst will not be used with a mail client but will use an outgoing SMTP mail server.

SMTP Configuration

Server Information
Outgoing Mail Server (SMTP):

Logon Information
User Name :
Password :
Email Address (FROM:)

OK Cancel





Outgoing Mail Server (SMTP) is provided by your Internet service provider. In the example above **mail.PDFEBURST.com** is used.

User Name: This is your E-mail address.





Password: The password associated with the above E-mail address.















E-mail Address (From): This is normally the same as your user name E-mail address. However, you may want to use another E-mail address. If there is a problem with an E-mail address being sent it will be directed back to the E-mail address you provide.

Quick Start Example Using *PEB2* – Use if you installed *PEB2*, setup a mail client or use SMTP.

| | |
|---|---|
|  | <p>Open the document as demonstrated to the left and customize to fit your specific needs. After completing, save this document, replacing the old one.</p> <p>You can create as many customized documents as you like. The ones that were installed are examples only.</p> |
|  | <p>Press the icon to start <i>PEB2</i>.</p> |
|  | <p>Press "Open" to select a PDF file and then select <code>c:\pdfeburst\sample.pdf</code> for testing.</p> |
|  | <p>Press "Process PDF" and watch <i>PEB2</i> process a test file.</p> |

PEB2 Features Explained

| PDFeBurst Version 2.00 For Windows. Copyright © 2003-2006 PDFeBurst LLC. All Rights Reserved. | |
|--|--|
|  | <p>Access the following features under the file menu:</p> <p>Open-Invokes a File Open dialog to select a PDF file</p> <p>Process PDF-Processes current selected PDF file.</p> <p>Close PDF-Closes the current selected PDF file.</p> <p>PRINT PDF-Process current selected PDF file for eburst: print. Only items with the eburst tag.</p> <p>Exit-Closes PEB2.</p> |
|  | <p>Automatic Processing</p> <p>The default behavior when you open and process a PDF is to process every page of a selected PDF file. Every page of the selected PDF file will be processed.</p> |
|  <p>Manual Processing</p> <p>If there are cases when you only want to process output for a single E-mail recipient rather than processing the entire file, select "Manual" from the Process Options menu.</p> | <p>Manual Processing</p> <p>When "Manual" is selected as the processing type, the text "Manual Process ON" will appear as seen on the left. Additionally, the Select an E-mail: list box will be enabled. PEB2 scans the PDF file and builds a list of tagged E-mail recipients contained in the selected file. Then select an E-mail from the list. Once the name is selected, process. After processing, an output PDF file for only that address will be generated.</p> |
|  | <p>Selecting "Help" invokes the help file or displays licensing and system information.</p> |

| | | | | | | |
|---|--|--|--|--|---|--|
|  Open |  Close PDF |  Print PDF |  Process PDF |  MailSetup |  Help |  Exit |
|  Open | | | | | | <p>"Open" to select a PDF file to process.</p> |
|  Close PDF | | | | | | <p>"Close PDF" closes the current selected PDF file.</p> |
|  Print PDF | <p>When opening a PDF file, the Print PDF button is activated. This button does not send the currently select PDF file to a Windows printer. It scans the currently selected PDF file for pages containing an EBURST:print tag and then sends those pages to the file C:\PDFEBURST\Print.PDF. Send the PRINT.PDF to your windows printer and manually distribute the pages to the appropriate recipient. This print function is a counterpart to the manual processing button because it selectively extracts pages from the currently open PDF file.</p> | | | | | <p>"Print PDF" creates a PRINT.PDF file for tagged items.</p> <p>Example:</p> <p>EBURST: PRINT</p> |
|  Process PDF | | | | | | <p>"Process PDF" closes the currently selected PDF file.</p> |
|  MailSetup | | | | | | <p>Use "Mail Setup" to access form. This allows you to set up method of sending PDF attachments.</p> |
|  Help | | | | | | <p>Use "Help" to access the help file.</p> |
|  Exit | | | | | | <p>Select "Exit" to exit PEB2</p> |

| | |
|--|---|
| <input checked="" type="checkbox"/> No Header | <p>This option allows you to use HEADER.PDF as a fax cover page. If the "No Header" option box is checked, then no header will be used.</p> |
| <p>Manual Process ON</p> <p>Select an Email : <input type="text" value="pebtest1@pdfburst.com"/></p> | <p>If manual processing is selected, then you will see the green label "Manual Process On" as displayed to the left. You will then have the option to select an E-mail to process from the list box.</p> |
| <p>Select a Template : <input type="text" value="Default.txt"/> <input type="text" value="Template1.txt"/></p> <p>Email Subject : <input type="text" value="Did you know you can make your own predefined"/></p> <p>Email Body : <input type="text" value="With PDFeBurst 2.0 you can create your own uni save your templates in c:\pdfburst\templates. **Automated bursting and e-mailing of your bus"/></p> | <p>Create and save text to be used for E-mail subject and E-mail body.</p> <p>Access all templates in c:\pdfburst\templates.</p> <p>Make as many templates as you wish.</p> |
| <p>Templates are optional, you can always create and type in anything you wish</p> | |
| <p>current file processing : C:\PDFeBURST\Sample.pdf</p> <p>current email processing : print</p> <p style="text-align: center;">Total found: 1</p> <p>Below the current file processing label there is another label named "current E-mail processing:" In this example PEB2 has found one PDF page with the tag eburst: print.</p> | <p>At the bottom of PEB2 form there is a label named "current file processing:" In this example you see displayed "c:\pdfburst.com\sample.pdf." This is the current file being processed.</p> |

PEB2 Automatic

Processing Example Using SAMPLE.PDF

Below is a graphic of the **PEB2** program directory located in c:\pdfeburst. When a PDF file is processed, the contents of the processed file are included in a generated PDF output file. Let's assume that <c:\pdfeburst\sample.pdf> was opened and processed.

When you process a PDF file, **PEB2** scans each page of the source PDF file (SAMPLE.PDF in this example) and creates a list of tag elements that are found in the file. As it finds entries, the **PEB2** status box displays each found entry as it is processed and also displays a status line indicating the number of elements found. Once this array of entries is built, the list is processed against the file. For each entry a PDF file is created in the **PEB2** directory. Each output file contains PDF pages from the source file that were tagged for that recipient. These files have the recipient E-mail address as the file name and PDF as the file extension. When processing is performed, any existing file will be overwritten. The generated files will be as follows (also seen below the graphic):

eburst: pebtest1@pdfeburst.com is stored in c:\pdeburst directory as pebtest1@pebtest2.com
eburst: pebtest2@pdfeburst.com is stored in c:\pdeburst directory as pebtest1@pebtest2.com
eburst: print is stored in c:\pdeburst directory as PRINT.PDF

In the final step, **PEB2** creates an E-mail message addressed to the named recipient, adds the subject and body line, attaches the PDF file and automatically sends each mail message. The only exception is for the file PRINT.PDF. This file is not sent via E-mail but must be opened and printed outside of the **PEB2** application.

is C:\PDFeBURST

header.pdf
pebtest1@pdfeburstcom.pdf
pebtest2@pdfeburstcom.pdf
print.pdf
Sample.pdf

HEADER.PDF can be used like a fax cover page if desired.
HEADER.PDF was not used in the above example.

SAMPLE.PDF is a test file used for testing of **PEB2**. In this example SAMPLE.PDF has been processed.

ebursterlog.txt - Notepad

```
File Edit Format View Help
*****Processing Started *****
Time :12/24/2005 3:44:56 PM
****List of Email being Processed****
*** Email Processed **** ----->pebtest1@pdfeburst.com
*** Email Processed **** ----->pebtest2@pdfeburst.com
*** Email Processed **** ----->print
```

PEB2 also generates a log file that lists every E-mail that was processed.

is C:\PDFeBURST\Templates

Default.txt
Template1.txt
Template2.txt
Template3.txt

The subdirectory to the left is where templates are stored. When **PEB2** is first started it loads Default.txt. You can customize Default.txt to fit your needs. Add as many templates as you like.

Frequently Asked Questions

Q: Why do I need to have a full copy of Adobe Acrobat rather than the Adobe Acrobat Reader that is freely available?

A: **PEB2** uses the Acrobat SDK (Software Development Kit) provided by Adobe to process a PDF file. This SDK uses functions that are only available with the full Acrobat product; it cannot be used with the Acrobat Reader. When Adobe makes this functionality available for developers, we will be among the first to take advantage of it.

Q: How easy is to use PEB2?

A: Very Easy. The first step is to put the EBURST tag with the customer E-mail address on each page of the PDF document that you'd like to process. Add EBURST:joe_tech@joetech.com on all those pages on PDF that belongs to Joe. Step 2. Start the PDFEBURST.exe and open the PDF that needs to be processed. Step 3. Press the Process PDF button and then all the pages in the PDF will automatically get sorted based on the E-mail addresses; the document will be E-mailed to each customer as an attachment.

Q: What is the function of manual processing?





A: The default behavior is to process every page of a selected PDF file. If there are cases where you only want to process output to a single E-mail recipient, select "Manual" from the Process Options menu. When you select manual as your processing type, PDFEBURST scans the PDF file and builds a list of tagged E-mail recipients. Then select a single name from the list and click "Process." **PEB2** will process only the pages for that selected address.


Q: How do I un-install PEB2?

A: Remove **PEB2** by going to the Windows Control Panel and selecting "Add/Remove Programs." Select **PEB2** from the installed programs list and click the Add/Remove button.



Error Messages

We will continue to update this help file located on our Website. The Website will be updated often.

| | |
|--|---|
|  <p>Cannot Process C:\PDFeBURST\test1.pdf. File contains no valid eburst tags.</p> <p style="text-align: center;">OK</p> | <p>This error will occur if the file selected through the Open PDF file contains no valid EBURST: tags.</p> |
|  <p>Please make sure to select a valid PDF file.</p> <p style="text-align: center;">OK</p> | <p>This error will occur if the file selected through Open PDF file is not in PDF format or does not exist. Click OK for this error and then select a different filename.</p> |
|  <p>Please open a PDF file.</p> <p style="text-align: center;">OK</p> | <p>This error will occur if you select Print PDF when a PDF file has not yet been selected or you close a PDF file before processing and then attempt to process a file.</p> |
|  <p>Please Select an email address or type an email</p> <p style="text-align: center;">OK</p> | <p>When the Manual E-mail Process button is checked, select an E-mail address from the drop down list prior to choosing process.</p> |
| <p>Run-time error 13. Type mismatch. This error will occur when the installation program attempts to register the product when your machine does not contain a full product installation of Acrobat. A full copy of Acrobat (not simply the Acrobat viewer) is required to install and run PDFEBURST.</p> | |
| <p>Run-time error 339. Component MSINET.OCX or one of its dependencies not correctly registered. A file is missing or invalid. The ActiveX control MSINET.OCX (Microsoft Internet Transfer Control) is missing from your machine. You can contact technical support at support@pdfeburst.com to obtain a copy.</p> | |

| | |
|---|--|
|  <p>PDFeBurst Version 2.00 For Windows</p> <p>PDFeBurst cannot send email! Please check the email address being processed Email address may be Invalid Email Address being processed is : jim Error Description is : Invalid e-mail address format</p> <p>OK</p> | <h3>Processing Error Not Using SMTP</h3> <p>In most cases this error message means you are attempting to process an invalid E-mail address.</p> <p>In the example below, PEB2 found an invalid E-mail address in the test file.</p> <p>Invalid: Eburst: jim Should have been: Eburst: jim@someserver.com</p> |
| <p>current file processing : C:\PDFeBURST\test4.pdf</p> <p>current email processing : jim</p> <p>Search ...</p> | |

Same Processing Error Using SMTP Option

| |
|--|
|  <p>PDFeBurst Version 2.00 For Windows</p> <p>PDFeBurst Mail Error: Please check if your Mail Client is running</p> <p>PDFeBurst will be unable to send an email for this email: jim The server rejected one or more recipient addresses. The server response was: 501 <jim>: recipient address must contain a domain</p> <p>OK</p> |
|  <p>current file processing : C:\PDFeBURST\test4.pdf</p> <p>current email processing : jim</p> <p>Search ...</p> |

Please check the Web site for more information and updates:

www.pdfeburst.com